Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

F2_M3

C Number: C20114

Lock Date: 10/04/2005

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

TDMSE Version: 1.8.0

Date Report Reqsted: 10/04/2007

Time Report Reqsted: 10:37:54 First Dose M/F: 09/04/02 / 09/04/02

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

First Dose M/F: 09/04/02 / 09/04/02

Date Report Regsted: 10/04/2007

Time Report Regsted: 10:37:54

Species/Strain: MICE/B6C3F1

Lab: SRI

B6C3F1 MICE MALE	0 MG/L	14.3 MG/L	28.6 MG/L	85.7 MG/L	257.4 MG/L	
Disposition Summary						
Animals Initially in Study	50	50	50	50	50	
Early Deaths						
Moribund Sacrifice	7	5	5	4	3	
Natural Death Survivors	10	10	10	8	15	
Natural Death	1				1	
Terminal Sacrifice	32	35	35	38	31	
Animals Examined Microscopically	50	50	50	50	50	
ALIMENTARY SYSTEM						
Esophagus	(50)	(50)	(50)	(50)	(50)	
Gallbladder	(47)	(45)	(44)	(44)	(39)	
Intestine Large, Cecum	(42)	(44)	(47)	(46)	(39)	
Angiectasis	1 [4.0]					
Fibrosis			1 [2.0]			
Lymphoid Tissue, Hyperplasia	(4.4)	(45)	2 [2.0]	(40)	(40)	
Intestine Large, Colon Fibrosis	(44)	(45)	(47)	(46)	(40)	
Lymphangiectasis	1 [3.0]		1 [3.0]			
Lymphoid Tissue, Hyperplasia	1 [3.0] 1 [2.0]		2 [2.5]		2 [2.0]	
Intestine Large, Rectum	(42)	(47)	(47)	(46)	(42)	
Inflammation, Suppurative	()	1 [3.0]	(,	(10)	()	
Intestine Small, Duodenum	(39)	(43)	(45)	(48)	(40)	
Erosion	,	,	,	1 [3.0]	, ,	
Infiltration Cellular, Histiocyte		2 [1.0]	4 [1.0]	37 [1.2]	35 [1.7]	
Infiltration Cellular, Mixed Cell		1 [2.0]				
Epithelium, Hyperplasia, Focal				1 [3.0]	2 [3.5]	
Epithelium, Hyperplasia, Diffuse	(40)	11 [2.0]	18 [1.6]	42 [2.1]	32 [2.1]	
Intestine Small, Ileum	(40)	(42)	(44)	(45)	(38)	
Cyst Infiltration Cellular, Polymorphonuclear			1 [3.0] 1 [2.0]			
Inflammation, Chronic Active		1 [2.0]	۱ [۷.۷]			
Epithelium, Hyperplasia, Diffuse		ا رک.۱		1 [3.0]		
Epithelium, Inflammation, Acute				1 [2.0]		
Goblet Cell, Hyperplasia			1 [2.0]	. [=.0]		

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH **AVERAGE SEVERITY GRADES[b]**

Sodium dichromate dihydrate (VI) **CAS Number:** 7789-12-0

Time Report Regsted: 10:37:54 First Dose M/F: 09/04/02 / 09/04/02

Date Report Regsted: 10/04/2007

Lab: SRI

B6C3F1 MICE MALE	0 MG/L	14.3 MG/L	28.6 MG/L	85.7 MG/L	257.4 MG/L
Lymphoid Tissue, Hyperplasia			1 [3.0]	2 [2.5]	1 [2.0]
Intestine Small, Jejunum	(41)	(42)	(42)	(46)	(38)
Fibrosis			1 [1.0]		
Infiltration Cellular, Histiocyte				1 [1.0]	
Inflammation, Suppurative		1 [2.0]			
Inflammation, Chronic Active			1 [3.0]		
Epithelium, Hyperplasia, Focal		1 [2.0]			
Epithelium, Hyperplasia, Diffuse				2 [1.5]	1 [2.0]
Lymphoid Tissue, Hyperplasia	2 [2.0]	7 [2.3]	5 [2.4]	8 [2.3]	3 [2.0]
Liver	(50)	(50)	(50)	(50)	(50)
Angiectasis	2 [3.0]				
Basophilic Focus	3		4		1
Basophilic Focus, Multiple	1				1
Clear Cell Focus	8	9	13	11	6
Clear Cell Focus, Multiple	12	8	6	5	1
Congestion			1 [3.0]		
Cyst			1 [3.0]	1 [3.0]	2 [3.0]
Eosinophilic Focus	17	16	13	16	10
Eosinophilic Focus, Multiple	10	10	6	5	2
Fibrosis				2 [2.5]	
Hematopoietic Cell Proliferation		1 [1.0]			
Hemorrhage		1 [3.0]	1 [2.0]	1 [4.0]	
Hepatodiaphragmatic Nodule	1 [2.0]		2 [1.5]		1 [2.0]
Infarct					1 [3.0]
Infiltration Cellular, Histiocyte	1 [1.0]	3 [1.0]	4 [1.0]	4 [1.0]	3 [1.0]
Infiltration Cellular, Lymphocyte	1 [2.0]				
Inflammation, Chronic	1 [1.0]	1 [1.0]	4 [1.3]	2 [1.5]	1 [2.0]
Mixed Cell Focus	3	1	- •	1	3
Mixed Cell Focus, Multiple	1		1		
Necrosis, Focal	1 [3.0]	3 [3.0]	4 [3.0]		5 [2.0]
Bile Duct, Hyperplasia		• •			1 [2.0]
Centrilobular, Necrosis	2 [3.0]				1 [3.0]
Hepatocyte, Vacuolization Cytoplasmic	5 [2.2]	5 [2.2]	1 [1.0]	1 [1.0]	3 [3.0]
Mesentery	(16)	(10)	(9)	(16)	(5)
Fibrosis	, ,	` '	2 [3.5]	1 [2.0]	` ,
Inflammation, Suppurative					1 [3.0]
Inflammation, Granulomatous				1 [3.0]	
Fat, Necrosis	11 [2.0]	7 [2.0]	7 [2.4]	12 [1.9]	5 [2.4]
Oral Mucosa	(50)	(50)	(50)	(50)	(50)
Pharyngeal, Hyperplasia, Squamous,	(/	ζ/	1 [1.0]	ν/	()

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Time Report Reqsted: 10:37:54 First Dose M/F: 09/04/02 / 09/04/02

Date Report Regsted: 10/04/2007

Lab: SRI

Species/Strain: MICE/B6C3F1

B6C3F1 MICE MALE	0 MG/L	14.3 MG/L	28.6 MG/L	85.7 MG/L	257.4 MG/L
Focal					
Pancreas	(49)	(49)	(50)	(49)	(48)
Atrophy	1 [1.0]		1 [1.0]	1 [2.0]	1 [3.0]
Cyst					1 [1.0]
Fibrosis			1 [2.0]		
Acinus, Cytoplasmic Alteration		1 [3.0]	1 [3.0]	9 [2.1]	8 [2.6]
Salivary Glands	(49)	(50)	(49)	(50)	(50)
Atrophy			2 [2.5]		
Parotid Gland, Atrophy		1 [2.0]			
Submandibular Gland, Atrophy		1 [1.0]			
Stomach, Forestomach	(50)	(50)	(48)	(50)	(48)
Angiectasis				1 [2.0]	
Cyst		1 [3.0]			
Fibrosis			1 [3.0]		
Ulcer				3 [2.0]	
Epithelium, Hyperplasia	4 [1.8]	3 [2.7]	(12)	3 [2.3]	(
Stomach, Glandular	(50)	(48)	(48)	(50)	(47)
Atrophy, Focal	4.54.03				2 [2.5]
Cyst	1 [1.0]	4 [4 0]			4.54.01
Erosion	1 [1.0]	1 [1.0]			1 [1.0]
Erosion, Focal				4 [4 0]	1 [1.0]
Hyperplasia, Focal		4 [0 0]		1 [1.0]	1 [2.0]
Infiltration Cellular, Polymorphonuclear		1 [2.0]			4 [0 0]
Ulcer	(50)	1 [2.0]	(50)	(50)	1 [2.0]
Tongue	(50)	(50)	(50)	(50)	(50)
Cyst	4 [0 0]	1 [3.0]	1 [3.0]	1 [2.0]	
Hyperplasia, Squamous Inflammation, Chronic	1 [2.0]	1 [2.0] 5 [1.0]	1 [2.0] 4 [1.0]	1 [2.0] 4 [1.0]	2 [1.0]
Mineralization	1 [2.0]	2 [2.0]	4 [1.0] 1 [2.0]	4 [1.0] 2 [1.0]	۲۱.۰۱ کا
Ulcer	1 [2.0] 1 [1.0]	2 [2.0] 2 [1.0]	۱ [۷،۷]	[۱.0]	
Artery, Inflammation, Chronic	ι [1.0]	2 [1.0] 1 [2.0]	1 [2.0]		
Tooth	(1)	(3)	(0)	(2)	(0)
Malformation	1 [3.0]	2 [2.5]	(0)	2 [2.0]	(0)
maiorination	. [0.0]	د _ا ک.۰)		ک _ا ک.۰۰J	
RDIOVASCULAR SYSTEM					
Blood Vessel	(2)	(1)	(1)	(1)	(1)
Heart	(5Ó)	(5Ó)	(5 0)	(50)	(ŠÓ)
Cardiomyopathy	45 [1.5]	46 [1.6]	43 [1.5]	46 [1.6]	36 [1 [.] 3]

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Time Report Reqsted: 10:37:54
First Dose M/F: 09/04/02 / 09/04/02

Date Report Regsted: 10/04/2007

B6C3F1 MICE MALE	0 MG/L	14.3 MG/L	28.6 MG/L	85.7 MG/L	257.4 MG/L	
Inflammation, Suppurative	1 [1.0]	1 [2.0]				
Mineralization Thrombosis	1 [1.0]	1 [2.0]	1 [2.0]		1 [1.0] 3 [2.3]	
ENDOCRINE SYSTEM						
Adrenal Cortex Accessory Adrenal Cortical Nodule	(49) 1 [1.0]	(49)	(50)	(50)	(50)	
Angiectasis Degeneration, Fatty	1 [1.0]	1 [1.0]	1 [1.0]		1 [2.0]	
Hyperplasia, Focal Hypertrophy, Focal Capsule, Hemorrhage	7 [1.1]	12 [1.5] 1 [2.0]	1 [3.0] 11 [1.4]	2 [1.0] 13 [1.4]	2 [1.0] 9 [1.3]	
Capsule, Hyperplasia Adrenal Medulla	5 [1.8] (49)	13 [1.6] (48)	11 [1.5] (50)	12 [1.5] (50)	7 [1.4] (50)	
Hyperplasia Islets, Pancreatic Hyperplasia	(49) 39 [2.1]	(49) 40 [2.0]	1 [1.0] (50) 34 [2.2]	(50) 43 [2.0]	(49) 20 [1.6]	
Parathyroid Gland Cyst	(46)	(47) 1 [2.0]	(45)	(49)	(47) 1 [3.0]	
Pituitary Gland Pars Distalis, Cyst Pars Distalis, Hyperplasia, Focal	(49) 2 [2.0]	(49) 1 [3.0]	(48) 2 [1.0] 1 [2.0]	(50) 4 [2.5] 1 [2.0]	(47) 1 [1.0] 2 [1.0]	
Thyroid Gland Follicle, Cyst	(50) 1 [3.0]	(50) 2 [3.0]	(50) 1 [2.0]	(50) 3 [1.7]	(50)	
Follicle, Degeneration, Focal Follicular Cell, Hyperplasia, Focal	3 [1.7] 1 [2.0]	5 [1.0] 1 [1.0]	4 [1.5] 1 [1.0]	5 [1.0]	1 [1.0] 2 [1.0]	
GENERAL BODY SYSTEM						
None						
GENITAL SYSTEM						
Epididymis Degeneration	(50) 1 [2.0]	(50)	(50)	(50)	(50)	
Granuloma Sperm Infiltration Cellular, Lymphocyte	. [=.0]		1 [2.0] 1 [2.0]	2 [2.5] 1 [2.0]	1 [2.0] 1 [2.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Time Report Reqsted: 10:37:54
First Dose M/F: 09/04/02 / 09/04/02

Date Report Regsted: 10/04/2007

B6C3F1 MICE MALE	0 MG/L	14.3 MG/L	28.6 MG/L	85.7 MG/L	257.4 MG/L	
Inflammation, Chronic	1 [2.0]					
Preputial Gland Atrophy	(50)	(50)	(50) 1 [2.0]	(50)	(50)	
Cyst Infiltration Cellular, Lymphocyte	2 [2.0]	1 [3.0]	3 [2.3]	4 [2.3] 1 [2.0]	4 [2.8]	
Inflammation, Chronic Prostate Infiltration Cellular, Lymphocyte	(50)	1 [2.0] (49) 2 [1.0]	(50)	(50) 1 [2.0]	(50)	
Inflammation, Suppurative Inflammation, Chronic	1 [3.0] 2 [2.5]	1 [2.0]	1 [1.0]			
Seminal Vesicle Fibrosis Inflammation, Chronic	(50) 2 [2.0]	(50)	(50) 1 [2.0] 1 [3.0]	(50) 1 [2.0]	(50)	
Epithelium, Hyperplasia Testes	(50)	(50)	1 [2.0] (50)	(50)	(50)	
Germinal Epithelium, Atrophy Interstitial Cell, Hyperplasia	2 [2.5] 1 [2.0]	3 [2.0]	3 [2.3]	2 [2.0]	1 [2.0]	
HEMATOPOIETIC SYSTEM						
Bone Marrow Angiectasis	(49)	(50)	(50)	(50) 1 [2.0]	(50)	
Hyperplasia Pigmentation Lymph Node	47 [1.0] (8)	5 [2.8] 50 [1.0] (4)	5 [2.6] 50 [1.1] (6)	1 [2.0] 50 [1.1] (6)	3 [2.7] 50 [1.3] (5)	
Bronchial, Hyperplasia, Lymphoid Iliac, Hemorrhage	1 [2.0]	1 [2.0]	1 [2.0]		(3)	
Iliac, Hyperplasia, Lymphoid Iliac, Hyperplasia, Plasma Cell Iliac, Pigmentation	1 [2.0]		1 [2.0]	2 [2.5] 4 [1.5]	1 [3.0] 1 [2.0]	
Inguinal, Hyperplasia, Lymphoid Inguinal, Pigmentation	2 [2.0]	2 [2.0]	1 [2.0]	4 [1.5] 1 [1.0]	3 [1.0]	
Mediastinal, Hemorrhage Mediastinal, Hyperplasia, Histiocytic		4 [0.0]	1 [2.0]		1 [2.0]	
Mediastinal, Hyperplasia, Lymphoid Popliteal, Hyperplasia, Lymphoid Renal, Angiectasis	1 [2.0] 1 [3.0]	1 [2.0]				
Renal, Hyperplasia, Lymphoid Renal, Hyperplasia, Plasma Cell	2 [2.5]			1 [3.0]	1 [4.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Time Report Reqsted: 10:37:54
First Dose M/F: 09/04/02 / 09/04/02

Date Report Regsted: 10/04/2007

Lab: SRI

Species/Strain: MICE/B6C3F1

B6C3F1 MICE MALE	0 MG/L	14.3 MG/L	28.6 MG/L	85.7 MG/L	257.4 MG/L	
Lymph Node, Mandibular	(47)	(49)	(49)	(48)	(46)	
Hyperplasia, Lymphoid Pigmentation	6 [2.7]	6 [2.8]	2 [2.5]	4 [2.5]	2 [2.0] 2 [2.0]	
Lymph Node, Mesenteric Ectasia Fibrosis	(47) 3 [2.3] 1 [4.0]	(47)	(49)	(49)	(46)	
Hemorrhage	1 [4.0]	1 [2.0]	2 [2.0]			
Hyperplasia, Lymphoid		4 [2.0]	2 [2.5]	3 [3.0]		
Infiltration Cellular, Histiocyte Inflammation, Granulomatous Necrosis, Lymphoid	14 [1.2] 2 [3.0]	38 [1.1]	31 [1.2] 1 [3.0] 1 [2.0]	32 [1.5]	42 [2.5]	
Lymph Node, Pancreatic	(5)	(13)	(10)	(8)	(16)	
Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte		2 [1.0]	2 [1.0]	1 [2.0] 5 [1.4]	1 [1.0] 12 [2.3]	
Spleen	(49)	2 [1.0] (48)	2 [1.0] (49)	(49)	(46)	
Hematopoietic Cell Proliferation	17 [2.7]	14 [2.5]	13 [2.8]	19 [2.1]	25 [2.5]	
Hyperplasia, Histiocytic	[]	[]	[]	1 [1.0]		
Necrosis, Lymphoid				1 [2.0]		
Lymphoid Follicle, Atrophy	1 [3.0]	2 [2.5]	1 [3.0]		3 [3.0]	
Lymphoid Follicle, Hyperplasia	1 [3.0]	6 [2.2]	3 [2.0]	5 [1.6]	4 [2.0]	
Thymus Atrophy	(49)	(50)	(46)	(49)	(40)	
Atrophy Hyperplasia, Lymphoid	2 [2.5] 3 [2.0]	7 [3.0] 3 [2.7]	2 [2.5] 1 [2.0]	2 [3.0] 2 [1.5]	1 [3.0]	
Necrosis, Lymphoid	3 [2.0]	3 [2.7]	1 [3.0]	2 [1.5]		
NTEGUMENTARY SYSTEM						
Skin	(50)	(50)	(50)	(50)	(50)	
Congestion				1 [2.0]		
Cyst Cyst Epithelial Inclusion		2		1 [3.0] 1 [3.0]	1 [3.0]	
Edema		2	1 [3.0]	1 [3.0]	1 [2.0]	
Hyperkeratosis			1 [0.0]		1 [3.0]	
Inflammation, Granulomatous				1 [2.0]	1 [3.0]	
Inflammation, Chronic	2 [2.5]			2 [2.5]	1 [3.0]	
Ulcer	1 [3.0]			3 [2.3]	1 [3.0]	
Dermis, Cyst	1 [3.0]			4 [0 0]	4 [2 0]	
Epidermis, Hyperplasia	1 [2.0]			1 [2.0]	1 [3.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Time Report Reqsted: 10:37:54 First Dose M/F: 09/04/02 / 09/04/02

Date Report Regsted: 10/04/2007

B6C3F1 MICE MALE	0 MG/L	14.3 MG/L	28.6 MG/L	85.7 MG/L	257.4 MG/L	
MUSCULOSKELETAL SYSTEM						
Bone	(50)	(50)	(50)	(50)	(50)	
Hyperostosis	1 [2.0]	0.00	4 [0 0]	4 [0 0]		
Cranium, Osteopetrosis Skeletal Muscle	1 [2.0] (4)	2 [2.0] (2)	1 [2.0] (4)	1 [2.0] (1)	(0)	
Fibrosis	(' /	(=)	2 [2.5]	(.)	(0)	
Hemorrhage	1 [2.0]					
NERVOUS SYSTEM						
Brain	(50)	(50)	(50)	(50)	(50)	
Cyst Epithelial Inclusion	,	,	`1 ′	,	,	
RESPIRATORY SYSTEM						
Lung	(50)	(50)	(50)	(50)	(50)	
Congestion	1 [2.0]					
Infiltration Cellular, Histiocyte	1 [1.0]	6 [1.8]	3 [2.3]	1 [2.0]		
Infiltration Cellular, Lymphocyte Inflammation, Granulomatous	1 [2.0]		1 [2.0]	1 [1.0]		
Inflammation, Chronic	1 [2.0]	1 [1.0]				
Metaplasia, Osseous					2 [1.0]	
Alveolar Epithelium, Hyperplasia	4 [1.3]	3 [1.3]	2 [1.0]	5 [1.4]	3 [1.3]	
Nose Glands, Inflammation	(50)	(50)	(50)	(50) 1 [1.0]	(50)	
Gianus, imiammation				1 [1.0]		
SPECIAL SENSES SYSTEM						
Eye	(48)	(49)	(49)	(50)	(47)	
Atrophy	1 [4.0]	1 [4.0]	(40)	(50)	(50)	
Harderian Gland Hyperplasia, Focal	(50)	(50) 1 [2.0]	(49)	(50)	(50)	
- Typerpiasia, Focal		1 [2.0]				
URINARY SYSTEM						
Kidney	(50)	(50)	(50)	(50)	(49)	
Atrophy					1 [4.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Regsted: 10/04/2007

Time Report Reqsted: 10:37:54 First Dose M/F: 09/04/02 / 09/04/02

B6C3F1 MICE MALE	0 MG/L	14.3 MG/L	28.6 MG/L	85.7 MG/L	257.4 MG/L	
Cyst	3 [1.7]	6 [2.7]	4 [2.0]	3 [2.0]	2 [1.0]	
Fibrosis			1 [2.0]			
Hydronephrosis		1 [3.0]	1 [4.0]	1 [2.0]	1 [3.0]	
Infarct	5 [1.4]	1 [1.0]	2 [1.0]	6 [1.2]	4 [1.5]	
Infiltration Cellular, Lymphocyte	1 [1.0]	1 [2.0]		1 [1.0]	4 [2.3]	
Inflammation, Suppurative		1 [2.0]		1 [2.0]		
Metaplasia, Osseous	1 [1.0]	1 [1.0]		1 [1.0]		
Mineralization			1 [1.0]			
Nephropathy	39 [1.4]	43 [1.7]	45 [1.5]	45 [1.5]	41 [1.6]	
Thrombosis	1 [1.0]					
Papilla, Necrosis		1 [3.0]				
Renal Tubule, Atrophy					1 [4.0]	
Renal Tubule, Mineralization	1 [1.0]	1 [2.0]				
Renal Tubule, Necrosis	1 [1.0]					
Renal Tubule, Pigmentation	7 [2.4]	3 [2.7]	3 [2.3]			
Jrethra	(1)	(1)	(0)	(1)	(0)	
Angiectasis	1 [4.0]			1 [3.0]		
Jrinary Bladder	(49)	(50)	(50)	(49)	(46)	
Fibrosis			1 [2.0]			
Infiltration Cellular, Lymphocyte		1 [1.0]	1 [1.0]		1 [1.0]	

^{***} END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

ber: 7789-12-0 First Dose M/F: 09/04/02 / 09/04/02

Lab: SRI

Date Report Regsted: 10/04/2007

Time Report Regsted: 10:37:54

B6C3F1 MICE FEMALE	0 MG/L	14.3 MG/L	57.3 MG/L	172 MG/L	516 MG/L	
Disposition Summary						
Animals Initially in Study	50	50	50	50	50	
Early Deaths Moribund Sacrifice	5		2	2	3	
Natural Death	8	11	3	6	5	
Survivors	•	_				
Natural Death Terminal Sacrifice	2 35	1 38	1 44	2 40	42	
Animals Examined Microscopically	50	50	50	50	50	
ALIMENTARY SYSTEM						
Gallbladder	(44)	(47)	(48)	(45)	(50)	
Intestine Large, Colon	(43)	(43)	(48)	(45)	(48)	
Edema		1 [4.0]				
Lymphoid Tissue, Hyperplasia	2 [2.0]	3 [2.3]	1 [2.0]	1 [2.0]	2 [2.0]	
Intestine Small, Duodenum	(42)	(42)	(48)	(42)	(48)	
Cyst Dilatation				1 [3.0]	1 [3.0]	
Hyperplasia, Lymphoid	1 [2.0]				1 [3.0]	
Infiltration Cellular, Histiocyte	1 [2.0]		4 [1.3]	33 [1.2]	40 [2.0]	
Epithelium, Hyperplasia, Focal			1 [2.0]	2 [3.0]	.0 [=.0]	
Epithelium, Hyperplasia, Diffuse		16 [1.6]	35 [1.7]	31 [1.6]	42 [2.2]	
Lymphoid Tissue, Hyperplasia			1 [1.0]	1 [1.0]	2 [1.5]	
Intestine Small, Ileum	(42)	(43)	(47)	(44)	(47)	
Inflammation, Suppurative	444	1 [2.0]	(40)	(4.4)	(12)	
Intestine Small, Jejunum	(41)	(42)	(48)	(44)	(48)	
Fibrosis			1 [2.0]	2 [4 0]	0 [4 6]	
Infiltration Cellular, Histiocyte Inflammation, Suppurative		4 [2.5]		2 [1.0] 1 [2.0]	8 [1.6] 1 [2.0]	
Epithelium, Hyperplasia, Focal		4 [2.0]	1 [2.0]	1 [2.0] 1 [2.0]	ا [۷.۷]	
Epithelium, Hyperplasia, Diffuse		2 [2.0]	1 [2.0]	، رح.۰٫	8 [1.9]	
Lymphoid Tissue, Hyperplasia	6 [2.2]	6 [2.2]	6 [2.7]	4 [1.5]	3 [2.7]	
Liver	(49)	(50)	(50)	(50)	(50)	
Basophilic Focus	`3 ′	4	2	, ,	1	
Basophilic Focus, Multiple			2			
Clear Cell Focus	3	5		2	1	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Time Report Reqsted: 10:37:54 First Dose M/F: 09/04/02 / 09/04/02

Date Report Regsted: 10/04/2007

B6C3F1 MICE FEMALE	0 MG/L	14.3 MG/L	57.3 MG/L	172 MG/L	516 MG/L
Cyst	1 [3.0]	1 [3.0]			
Cyst, Multiple	1 [3.0]				
Eosinophilic Focus	11	13	5	4	4
Eosinophilic Focus, Multiple	3	5	3	1	
Hematopoietic Cell Proliferation	3 [1.0]		1 [1.0]		1 [1.0]
Hemorrhage	1 [2.0]	2 [2.5]			
Infiltration Cellular, Histiocyte	2 [1.0]	15 [1.1]	23 [1.0]	32 [1.0]	45 [1.9]
Infiltration Cellular, Lymphocyte	2 [1.0]		1 [2.0]		2 [1.5]
Inflammation, Chronic	16 [1.1]	21 [1.1]	22 [1.1]	27 [1.1]	24 [1.0]
Mixed Cell Focus	2		4	1	1
Necrosis, Focal	1 [1.0]	1 [2.0]		2 [1.0]	1 [1.0]
Tension Lipidosis			1 [1.0]	1 [2.0]	
Thrombosis					1 [1.0]
Hepatocyte, Vacuolization Cytoplasmic	4 [3.0]	5 [2.6]	5 [1.6]		2 [3.0]
Mesentery	(20)	(23)	(23)	(23)	(9)
Fibrosis				1 [2.0]	
Hemorrhage					1 [3.0]
Inflammation, Granulomatous		1 [2.0]			
Inflammation, Chronic				1 [2.0]	1 [2.0]
Fat, Hemorrhage				1 [2.0]	
Fat, Necrosis	16 [2.1]	20 [2.3]	20 [2.1]	21 [1.9]	6 [1.5]
Pancreas	(48)	(50)	(49)	(50)	(50)
Atrophy	1 [2.0]			1 [2.0]	2 [2.0]
Cyst		1 [3.0]		1 [4.0]	
Necrosis	1 [1.0]				
Acinus, Atrophy		0.50.51	0.70.01	4.4.50.43	2 [2.5]
Acinus, Cytoplasmic Alteration		6 [2.5]	6 [2.0]	14 [2.4]	32 [2.6]
Acinus, Hyperplasia, Focal	(50)	(50)	(50)	1 [1.0]	(40)
Salivary Glands	(50)	(50)	(50)	(48)	(49)
Atrophy			1 [2.0]	4 [0 0]	
Fibrosis	1 [1 0]			1 [2.0]	4 [2 0]
Infiltration Cellular, Lymphocyte Inflammation, Chronic	1 [1.0] 2 [2.0]				1 [2.0]
Submandibular Gland, Atrophy	2 [2.0] 1 [2.0]				
Stomach, Forestomach	(49)	(49)	(50)	(48)	(50)
Cyst	(+3)	(+ 3)	2 [2.0]	(40)	(30)
Diverticulum			ک زکان	1 [1.0]	
Edema	1 [2.0]		1 [2.0]	1 [1.0]	
Erosion	۱ رح.۱۰	1 [1.0]	ا رکان		
Infiltration Cellular, Lymphocyte		1 [1.0]			

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

First Dose M/F: 09/04/02 / 09/04/02 Lab: SRI

Date Report Regsted: 10/04/2007

Time Report Reqsted: 10:37:54

Species/Strain: MICE/B6C3F1

B6C3F1 MICE FEMALE	0 MG/L	14.3 MG/L	57.3 MG/L	172 MG/L	516 MG/L	
Inflammation, Chronic					1 [2.0]	
Mineralization					2 [1.0]	
Ulcer	3 [1.3]	1 [1.0]	1 [1.0]		2 [1.5]	
Epithelium, Hyperplasia	2 [2.0]	2 [1.5]	(=0)	2 [2.0]	3 [2.0]	
Stomach, Glandular	(49)	(48)	(50)	(48)	(50)	
Cyst	1 [3.0]		4 50 01		1 [2.0]	
Degeneration, Cystic	0.54.53		1 [2.0]	4.54.03		
Erosion	2 [1.5]	4 50 01		1 [1.0]		
Fibrosis		1 [2.0]			4.54.03	
Infiltration Cellular, Mixed Cell		4 50 01			1 [1.0]	
Inflammation, Suppurative		1 [2.0]				
Ulcer		1 [2.0]				
_ Glands, Hyperplasia	1 [1.0]	(==)	(12)	(4.5)	()	
Tongue	(50)	(50)	(49)	(48)	(50)	
Inflammation, Chronic	7 [1.0]	6 [1.0]	3 [1.0]	5 [1.0]	5 [1.0]	
Mineralization	1 [1.0]		0.10.01	1 [1.0]	2 [2.0]	
Artery, Inflammation, Chronic	1 [2.0]		3 [3.0]			
ARDIOVASCULAR SYSTEM						
Heart	(50)	(50)	(50)	(50)	(50)	
Cardiomyopathy	40 [1.3]	34 [1.4]	43 [1.4]	42 [1.3]	43 [1.3]	
Mineralization	1 [2.0]					
Artery, Inflammation, Chronic	1 [2.0]					
NDOCRINE SYSTEM						
Adrenal Cortex	(49)	(50)	(50)	(50)	(50)	
Accessory Adrenal Cortical Nodule	3 [1.3]		1 [2.0]	1 [1.0]	3 [1.3]	
Hamadan siatia Oali Dualifanatian	1 [1.0]				1 [2.0]	
Hematopoietic Cell Proliferation			1 [1.0]	1 [1.0]	1 [1.0]	
Hyperplasia, Focal						
Hyperplasia, Focal Hyperplasia, Diffuse		1 [2.0]			1 [2.0]	
Hyperplasia, Focal Hyperplasia, Diffuse Hypertrophy, Focal		1 [2.0] 2 [1.5]	1 [1.0]	1 [1.0]		
Hyperplasia, Focal Hyperplasia, Diffuse Hypertrophy, Focal Vacuolization Cytoplasmic				1 [2.0]	1 [2.0]	
Hyperplasia, Focal Hyperplasia, Diffuse Hypertrophy, Focal Vacuolization Cytoplasmic Capsule, Hyperplasia	10 [2.2]		1 [1.0] 6 [1.7]	1 [2.0] 9 [1.8]		
Hyperplasia, Focal Hyperplasia, Diffuse Hypertrophy, Focal Vacuolization Cytoplasmic Capsule, Hyperplasia Adrenal Medulla	10 [2.2] (49)	2 [1.5]	1 [1.0] 6 [1.7] (50)	1 [2.0] 9 [1.8] (50)	1 [2.0] 14 [2.0] (50)	
Hyperplasia, Focal Hyperplasia, Diffuse Hypertrophy, Focal Vacuolization Cytoplasmic Capsule, Hyperplasia Adrenal Medulla Hyperplasia	(49)	2 [1.5] 4 [1.8] (50)	1 [1.0] 6 [1.7] (50) 1 [1.0]	1 [2.0] 9 [1.8] (50) 1 [3.0]	1 [2.0] 14 [2.0] (50) 1 [2.0]	
Hyperplasia, Focal Hyperplasia, Diffuse Hypertrophy, Focal Vacuolization Cytoplasmic Capsule, Hyperplasia Adrenal Medulla		2 [1.5] 4 [1.8]	1 [1.0] 6 [1.7] (50)	1 [2.0] 9 [1.8] (50)	1 [2.0] 14 [2.0] (50)	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Time Report Reqsted: 10:37:54 First Dose M/F: 09/04/02 / 09/04/02

Date Report Regsted: 10/04/2007

B6C3F1 MICE FEMALE	0 MG/L	14.3 MG/L	57.3 MG/L	172 MG/L	516 MG/L	
Parathyroid Gland	(48)	(49)	(50)	(44)	(49)	
Cyst		1 [3.0]			1 [3.0]	
Pituitary Gland	(48)	(48)	(48)	(48)	(49)	
Pars Distalis, Angiectasis		1 [3.0]		4.54.03		
Pars Distalis, Cyst	5 [4 0]	0.[4.0]	0.14.01	1 [1.0]	4 [4 0]	
Pars Distalis, Hyperplasia, Focal	5 [1.2]	3 [1.0]	3 [1.3]	2 [1.0]	1 [1.0]	
Pars Intermedia, Fibrosis	1 [2.0]	4 [0 0]		4 [0 0]		
Rathke's Cleft, Cyst	(50)	1 [3.0]	(50)	1 [3.0]	(50)	
Thyroid Gland	(50)	(50)	(50)	(49)	(50)	
Infiltration Cellular, Lymphocyte	1 [1.0]	2 [4 0]	1 [1.0]			
Infiltration Cellular, Mixed Cell Inflammation, Suppurative, Focal	1 [1.0]	2 [1.0]		4 [4 0]		
Inflammation, Suppurative, Focal				1 [1.0] 1 [1.0]		
Follicle, Cyst	2 [1.5]	1 [3.0]	3 [1.7]	2 [2.5]	2 [3.0]	
Follicle, Cyst Follicle, Degeneration, Focal	2 [1.5] 12 [1.2]	1 [3.0] 11 [1.1]	3 [1.7] 14 [1.4]	2 [2.5] 10 [1.4]	2 [3.0] 11 [1.5]	
Follicular Cell, Hyperplasia	12 [1.2]	11[1.1]	14 [1.4]	10 [1.4]	1 [1.0]	
Follicular Cell, Hyperplasia, Focal		1 [1.0]	1 [1.0]		2 [1.5]	
Follicular Cell, Hypertrophy		1 [1.0]	1 [1.0]		1 [2.0]	
GENERAL BODY SYSTEM Tissue NOS	(1)	(0)	(0)	(0)	(0)	
GENITAL SYSTEM						
Clitoral Gland	(50)	(50)	(50)	(50)	(48)	
Cyst	1 [2.0]	(30)	1 [2.0]	1 [2.0]	(40)	
Inflammation, Chronic	1 [2.0]		1 [2.0]	1 [2.0]		
illiamination, official	(50)	(15)	(47)		(49)	
Ovary		(49)	14/1	1481		
Ovary Angiectasis	(50)	(49) 1 [4 0]	(47) 1 [2 0]	(48) 1 [1 0]		
Angiectasis	, ,	(49) 1 [4.0]	1 [2.0]	(48) 1 [1.0]	2 [2.0]	
Angiectasis Atrophy	1 [2.0]	1 [4.0]	1 [2.0]	1 [1.0]	2 [2.0] 2 [2.5]	
Angiectasis Atrophy Cyst	, ,			1 [1.0] 11 [2.7]	2 [2.0]	
Angiectasis Atrophy Cyst Hematocyst	1 [2.0] 10 [2.9]	1 [4.0] 13 [2.5]	1 [2.0] 12 [3.0]	1 [1.0] 11 [2.7] 1 [3.0]	2 [2.0] 2 [2.5] 10 [3.0]	
Angiectasis Atrophy Cyst Hematocyst Hemorrhage	1 [2.0]	1 [4.0]	1 [2.0]	1 [1.0] 11 [2.7]	2 [2.0] 2 [2.5] 10 [3.0] 3 [3.0]	
Angiectasis Atrophy Cyst Hematocyst Hemorrhage Hyperplasia	1 [2.0] 10 [2.9] 1 [2.0]	1 [4.0] 13 [2.5]	1 [2.0] 12 [3.0]	1 [1.0] 11 [2.7] 1 [3.0]	2 [2.0] 2 [2.5] 10 [3.0]	
Angiectasis Atrophy Cyst Hematocyst Hemorrhage Hyperplasia Infiltration Cellular, Lymphocyte	1 [2.0] 10 [2.9]	1 [4.0] 13 [2.5]	1 [2.0] 12 [3.0]	1 [1.0] 11 [2.7] 1 [3.0]	2 [2.0] 2 [2.5] 10 [3.0] 3 [3.0] 1 [2.0]	
Angiectasis Atrophy Cyst Hematocyst Hemorrhage Hyperplasia	1 [2.0] 10 [2.9] 1 [2.0]	1 [4.0] 13 [2.5]	1 [2.0] 12 [3.0]	1 [1.0] 11 [2.7] 1 [3.0]	2 [2.0] 2 [2.5] 10 [3.0] 3 [3.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Time Report Reqsted: 10:37:54 First Dose M/F: 09/04/02 / 09/04/02

Date Report Regsted: 10/04/2007

Species/Strain:	MICE/B6C3F1

B6C3F1 MICE FEMALE	0 MG/L	14.3 MG/L	57.3 MG/L	172 MG/L	516 MG/L
Angiectasis Hyperplasia, Cystic Inflammation, Suppurative	43 [2.4] 1 [2.0]	45 [2.3]	1 [3.0] 42 [2.0]	1 [3.0] 43 [2.1]	45 [2.2]
Serosa, Cyst Vagina	1 [2.0] (1)	(0)	(0)	(0)	(0)
EMATOPOIETIC SYSTEM					
Bone Marrow Fibrosis	(50)	(50)	(50)	(50)	(50) 1 [2.0]
Hemorrhage Hyperplasia Hyperplasia, Reticulum Cell	5 [2.6]	3 [1.3]	5 [2.8]	1 [2.0] 1 [3.0] 1 [2.0]	1 [3.0]
Pigmentation Lymph Node	47 [1.1] (10)	47 [1.0] (7)	49 [1.1] (6)	49 [1.2] (5)	50 [1.7] (6)
Bronchial, Hyperplasia, Lymphoid Iliac, Hematopoietic Cell Proliferation	1 [2.0] 1 [2.0]	1 [4.0]	1 [2.0]		
Iliac, Hyperplasia, Lymphoid Iliac, Pigmentation	1 [2.0] 1 [1.0]		2 [2.5]	1 [2.0]	1 [3.0]
Mediastinal, Hyperplasia, Lymphoid Renal, Hyperplasia, Lymphoid	4 [2.5]	1 [3.0]	2 [3.0] 2 [2.5]		1 [3.0]
Lymph Node, Mandibular Ectasia	(50) 1 [2.0]	(48)	(49)	(48)	(48)
Hyperplasia, Lymphoid Lymph Node, Mesenteric Ectasia	4 [2.0] (46)	2 [3.5] (48)	4 [2.0] (46)	6 [2.5] (50)	3 [2.3] (50)
Hematopoietic Cell Proliferation Hemorrhage	6 [2.3] 1 [2.0]	1 [3.0]	2 [3.0] 1 [2.0] 1 [4.0]	2 [2.0]	2 [3.0] 1 [3.0]
Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte Mineralization	3 [2.3] 3 [1.0]	4 [2.3] 29 [1.3]	6 [2.0] 26 [1.1]	4 [2.3] 40 [1.9] 1 [2.0]	2 [2.5] 42 [2.7]
Lymph Node, Pancreatic Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte	(14) 1 [3.0]	(12) 1 [3.0] 1 [1.0]	(15) 2 [2.5] 2 [1.5]	(14) 7 [1.9]	(13) 1 [3.0] 8 [2.5]
Spleen Hematopoietic Cell Proliferation Necrosis	(48) 15 [1.8]	(48) 24 [2.3]	(50) 19 [2.0]	, [1.3] (50) 15 [2.4] 1 [2.0]	(50) 15 [2.3]
Lymphoid Follicle, Atrophy Lymphoid Follicle, Hyperplasia	17 [2.2]	1 [3.0] 19 [2.2]	28 [1.9]	22 [2.2]	18 [2.2]

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Time Report Reqsted: 10:37:54 First Dose M/F: 09/04/02 / 09/04/02

Date Report Regsted: 10/04/2007

B6C3F1 MICE FEMALE	0 MG/L	14.3 MG/L	57.3 MG/L	172 MG/L	516 MG/L	
Thymus	(46)	(38)	(43)	(40)	(47)	
Angiectasis Atrophy	2 [2.0]			1 [2.0] 1 [3.0]	1 [2.0]	
Hyperplasia, Lymphoid	30 [1.7]	20 [1.6]	17 [1.8]	25 [1.8]	32 [1.7]	
NTEGUMENTARY SYSTEM						
Mammary Gland	(50)	(48)	(50)	(50)	(50)	
Cyst	3 [2.3]	,	, ,		1 [3.0]	
Hyperplasia				1 [2.0]	1 [1.0]	
Duct, Cyst	(50)	(50)	(50)	1 [3.0]	(50)	
Skin Edema	(50)	(50)	(50) 1 [3.0]	(49)	(50)	
Inflammation, Granulomatous	1 [2.0]		1 [3.0]			
Inflammation, Chronic	1 [2.0]		1 [3.0]			
Ulcer		1 [3.0]	1 [3.0]	1 [3.0]		
Dermis, Cyst	1 [2.0]	F3		1		
MUSCULOSKELETAL SYSTEM						
Bone	(50)	(50)	(50)	(50)	(50)	
Fibrosis			1 [2.0]			
Cranium, Fibrosis					1 [3.0]	
Cranium, Osteopetrosis	1 [2.0]	1 [2.0]	(4)	(4)	(4)	
Skeletal Muscle Fibrosis	(2)	(6)	(1)	(1)	(1) 1 [2.0]	
T IDTOSIS					1 [2.0]	
NERVOUS SYSTEM						
Brain	(50)	(50)	(50)	(50)	(50)	
Compression	1 [2.0]	, ,	2 [2.5]	2 [2.5]	,	
Cerebellum, Vacuolization Cytoplasmic	1 [2.0]					
Cerebrum, Edema	1 [2.0]					
RESPIRATORY SYSTEM						
Lung	(50)	(50)	(50)	(50)	(50)	
Fibrosis	1 [1.0]	` '	, ,	, ,	,	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Time Report Reqsted: 10:37:54 First Dose M/F: 09/04/02 / 09/04/02

Date Report Regsted: 10/04/2007

B6C3F1 MICE FEMALE	0 MG/L	14.3 MG/L	57.3 MG/L	172 MG/L	516 MG/L	
Hemorrhage Infiltration Cellular, Histiocyte Infiltration Cellular, Lymphocyte Infiltration Cellular, Mixed Cell Metaplasia, Osseous	2 [2.0] 1 [1.0] 1 [1.0]	1 [2.0] 4 [1.3]	2 [2.0] 6 [1.2]	1 [1.0] 4 [1.3] 1 [2.0]	2 [2.0] 5 [1.2]	
Alveolar Epithelium, Hyperplasia Capillary, Infiltration Cellular, Mixed Cell	1 [1.0]	<i>(</i> -1)	2 [1.5]	()	1 [1.0] 1 [4.0]	
Nose	(50)	(50)	(50)	(50)	(50)	
SPECIAL SENSES SYSTEM						
Eye Atrophy	(49)	(48)	(48)	(46) 1 [3.0]	(50) 1 [3.0]	
Harderian Gland Hyperplasia, Focal Inflammation, Chronic	(49) 1 [1.0]	(49)	(50) 1 [1.0]	(50) 1 [1.0] 1 [2.0]	(50)	
URINARY SYSTEM						
Kidney Accumulation, Hyaline Droplet	(50)	(49)	(50) 1 [3.0]	(49)	(50)	
Calculus Micro Observation Only Casts Protein		4 [1.5]	1 [0.0]	3 [1.3] 1 [1.0]	5 [1.8]	
Cyst Hemorrhage		2 [2.5] 1 [3.0]			1 [3.0] 1 [2.0]	
Hydronephrosis Infarct Infiltration Cellular	4 [1.0]	1 [3.0]	3 [1.0] 1 [1.0]	2 [2.0] 2 [2.0] 1 [1.0]	1 [2.0] 2 [1.0] 2 [1.5]	
Infiltration Cellular, Lymphocyte Inflammation, Chronic	10 [1.1]	5 [1.4] 1 [1.0]	10 [1.4] 2 [1.0]	10 [1.3]	7 [1.4]	
Metaplasia, Osseous Mineralization	1 [1.0]	1 [1.0] 2 [1.0]		3 [1.0]	1 [1.0] 1 [2.0]	
Nephropathy Papilla, Necrosis Renal Tubule, Accumulation, Hyaline Droplet	21 [1.2]	30 [1.2]	30 [1.0] 1 [1.0]	26 [1.2]	28 [1.2] 1 [1.0] 1 [3.0]	
Renal Tubule, Mineralization Renal Tubule, Pigmentation	1 [2.0]				1 [1.0]	
Ureter	(0)	(0)	(0)	(1)	(0)	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007

Time Report Reqsted: 10:37:54
First Dose M/F: 09/04/02 / 09/04/02

Lab: SRI

B6C3F1 MICE FEMALE	0 MG/L	14.3 MG/L	57.3 MG/L	172 MG/L	516 MG/L	
Urinary Bladder	(50)	(48)	(50)	(48)	(49)	
Infiltration Cellular, Lymphocyte	42 [1.2]	33 [1.1]	37 [1.1]	27 [1.1]	38 [1.4]	

*** END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)